



Health Equity for All

SAN JOAQUIN VALLEY

PUBLIC HEALTH CONSORTIUM

FRESNO
STATE

Central Valley Health
Policy Institute

Executive Summary

PREVENTABLE CHILDHOOD ILLNESS



Individual and Neighborhood Characteristics



Health Equity for All

SAN JOAQUIN VALLEY
PUBLIC HEALTH CONSORTIUM

FRESNO  **STATE**
Central Valley Health Policy Institute

Central California Center for Health and Human Services

1625 East Shaw Avenue, Suite 146
Fresno, CA 93710-8106
Phone: 559.228.2150 Fax: 559.228.2168
www.cvhpi.org

PREVENTABLE CHILDHOOD ILLNESS

Individual and Neighborhood Characteristics

Abstract

Reducing rates of childhood illness is a key public health objective, given that many of the conditions developed in childhood will negatively impact the individual well into adulthood. This report draws on multiple data sources to describe childhood morbidity and mortality as well as the individual and social determinants of these outcomes in California's eight San Joaquin Valley counties. Findings indicate that children that are non-white and underserved are likely experiencing less access to preventable care, more stressful and harmful neighborhood environments and have fewer resources to address health challenges. For example, results indicate higher rates of preventable hospitalizations in the region than the state as a whole and broad differences by individual and neighborhood factors in risk of these events. If children of color had similar preventable hospitalization rates as their white peers in affluent neighborhoods, there would be a 62% reduction in these events, a possible costs savings of \$19,113,621. The eight San Joaquin Valley Public Health Departments can continue play a key role in encouraging improving Maternal and Child Health equity by:

- Promoting high quality and culturally responsive perinatal clinical care in patient-centered systems, informed by scientific consensus and national best practice evidence
- Providing individually oriented education, health promotion, screening and interventions for women and men of reproductive age to reduce risk factors that might early childhood outcomes
- Increasing the responsiveness of policies and programs to social, economic and environmental factors that impact childhood outcomes

Acknowledgement

The San Joaquin Valley Public Health Consortium is a forum for County Public Health Directors, Health Officers, and invited members to explore and exchange ideas and information and to develop strategies for addressing pressing public health issues faced by the counties in the region. The Consortium engages in strategic planning, training, action oriented policy development, and research to improve the quality and responsiveness of public health programs in the San Joaquin Valley region. The vision of the Consortium is to achieve health equity for all residents in the San Joaquin Valley and the mission is to provide leadership for a regional health agenda that addresses the social determinants of health in the San Joaquin Valley. The San Joaquin Valley Public Health Consortium's core values are to help all residents in the Valley to lead healthy and productive lives through focusing on prevention and by addressing the social determinants of health. The Consortium continually works on building capacity of expert workforce, engaging communities, and utilizing evidence based practice to inform and advocate for health equity in all policies.

This report is the result of collaboration between Consortium members including the eight San Joaquin Valley Counties' Public Health Departments located in Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare Counties; Adventist Health Central Valley Network, University of California, Merced, California State University, Fresno and the Central Valley Health Policy Institute at Fresno State. Funding for this publication was made possible by a grant from The California Endowment.

The authors would especially like to thank Donna DeRoo, Ashley Hart, Magdalena Flores, Diahann Gutierrez, Jacqueline Cortez, and Yesenia Silva who took the time to edit the report and facilitate the process. You are a gift and we deeply appreciate your work.

We would like to extend a special acknowledgement to Dr. Jody Hironaka-Juteau, David Pomaville, David Luchini, Bill Mitchell, Cathy Volpa, Charles Sandefur, Dr. Claudia Jonah Elizabeth Gazarek, Dr. John Walker, Dr. Karen Furst, Dr. Karen Haught, Kathleen Grassi, Keith Winkler, Dr. Miguel Perez, Dr. Paul Brown, Dr. Steve Roussos, Dr. Tim Livermore, and Van Do Reynoso for providing insights, excellent and extensive advice throughout the project and peer review comments for publication.

Funding and Contributors:

The California Endowment (TCE) and the San Joaquin Valley Public Health Consortium commissioned this project to identify and highlight the social and environmental determinants of health throughout the life course for populations residing in California's San Joaquin Valley. The Consortium contracted the Central Valley Health Policy Institute (CVHPI) at Fresno State to produce county-specific briefs as well as region-wide reports on the health landscape for the eight local county health departments who participate in the SJVPHC including: Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare. This document provides analysis of variety of secondary data sources including hospital care use from the Office of Statewide Planning and Development (OSHPD), birth and death records from the California Department of Public Health (CDPH), and the US Census.

Prepared by:

Emanuel Alcala, MA
John Capitman, PhD
Lauren Lessard, PhD
Amanda Conley, MA

Suggested Citation:

Central Valley Health Policy Institute (2017). Preventable Childhood Illness: Individual and Neighborhood Characteristics. California State University, Fresno.

Copyright Information

Copyright © 2017 by California State University, Fresno. This report may be printed and distributed free of charge for academic or planning purposes without the written permission of the copyright holder. Citation as to source, however, is appreciated. Distribution for profit of this material is prohibited without specific permission of the copyright holder.

Preventable Childhood Illness: Individual and Neighborhood Characteristics

Executive Summary

Context

Reducing rates of childhood illness is a key public health objective, given that many of the conditions developed in childhood will negatively impact the individual well into adulthood. This report uses data on emergency department (ED) visits, hospitalizations and pediatric mortality to examine how families and communities in California's San Joaquin Valley (SJV) are impacted by child morbidity and mortality. The relatively rare and costly health events explored here are associated with more negative self-reported health: they are indicative of the burden of disease faced by children and their families in the region.

The report has a primary focus on preventable and non-preventable emergency department (ED) and in-patient hospital admissions. Admissions characterized as preventable are for ambulatory care—sensitive conditions (ACSC), diagnoses for which timely and effective community health services reduce the likelihood of hospitalizations. Asthma and pneumonia are the two health conditions for which children most often have preventable hospitalization. Non-preventable conditions are also examined because a growing literature indicates that families and communities with higher rates of preventable pediatric acute events also face greater risk for non-preventable admissions.⁹

Health and appropriate development of children are shaped by multiple factors including family, home, peer group, and neighborhood influence. Communities shaped by segregation and poverty often lack key resources for child health. In the San Joaquin Valley, land use patterns and neighborhood formation were shaped by explicit segregation policies and as a result the Valley's relatively small African American populations are most concentrated in specific older urban core and isolated rural communities with few amenities and multiple environmental challenges. These same locales also serve as the first places of residence for immigrants from Latin America and Southeast Asia. More affluent, resource and amenity dense communities have typically been developed more recently and have higher proportions of whites and lower proportions of low income persons. By describing how rates of adverse childhood health events are linked to racial/ethnic and poverty rate composition provide a lens for describing how children are influenced by a broader set of social and environmental factors.

Pediatric Illness and Health Departments

The link between childhood illness, neighborhood poverty, race/ethnicity and other factors has implications for San Joaquin Valley Public Health Consortium (SJVPHC) member local health departments because of their extensive maternal and child health programming. To some extent these local public health initiatives are shaped by state and federal policies and funding priorities.²² Notable reductions in funding for public health maternal and child health initiatives in California have also influenced the range and scope of initiatives. Despite these factors, Figure 1 shows diverse examples from the San Joaquin Valley county local health departments of ongoing initiatives and activities to promote child health and wellness. These efforts are directed to families, children, care providers and the broader community. These initiatives reflect the range of public health roles, including monitoring, public education, targeted community prevention programs, increasing access to health care, coordination of health and social services for at-risk groups, coordination of clinical care improvement collaborations, and broader collaborative efforts to promote health-friendly policies, facilities, and communities. By examining variations across the Valley in adverse pediatric outcomes, this analysis can help local health departments and their partners identify additional avenues to improve child health.

Table 1. Selected SJV Public Health Initiatives to Improve Childhood Outcomes

County	Examples of Current Initiatives
Kings	<ul style="list-style-type: none"> • Providing Childhood Immunizations • Participating as leading partners in a number of county coalitions to promote prevention and care • Leveraging current programs to educate families on childhood/pediatric illness
Fresno	<ul style="list-style-type: none"> • Ongoing Needs Assessment on access to care, infant mortality, maternal health, pre-term birth, breastfeeding etc. • Ongoing support of current interventions including Nurse Family Partnership, Babies First, Perinatal Early Intervention, Nurse Liaison, High Risk Infant Program and Black Infant Health
Madera	<ul style="list-style-type: none"> • Medi-Cal and Covered California outreach, enrollment and retention services to underserved and unserved communities. • Preserve high vaccination rates through robust clinical services that are culturally competent and easily accessible • Home Visitation Program that improves the health outcomes for children and families
Merced	<ul style="list-style-type: none"> • Targeted programs to improve health and wellbeing of girls and women, promote exclusive breastfeeding to six months of age, promote preconception health, positive youth development strategies, and improved access to services • Linkage to care and case management to at-risk populations. • Coordination and technical assistance to improve overall immunization rates in Merced County.
San Joaquin	<ul style="list-style-type: none"> • Monitor health status, needs, and services available to mothers, and children with a focus on low-income populations • Coordinate outreach that improves access to early and continuous prenatal care, and child health care • Provide community health promotion to reduce domestic violence, tobacco use, substance abuse, injuries, childhood obesity, teenage pregnancy, dental caries, and higher death rates among African-American infants.
Stanislaus	<ul style="list-style-type: none"> • Outreach to enroll individuals and families in insurance plans and link individuals to a medical home or other source of care • Support women and families support through WIC, Healthy Birth Outcomes, High Risk Maternal/Child Health, Nurse Family Partnership, Adolescent Family Life and CalLEARN programs • Coordinate health coalitions (HEART Coalition, TOPS Coalition, etc.) that encourage all sectors to adopt health-friendly policies and improve the physical infrastructure for healthy living
Tulare	<ul style="list-style-type: none"> • Tulare County Public Health Department hopes to be able to expand all the childhood and perinatal initiatives and be able to reach more families • We will also be conducting a community health assessment and developing a community health improvement plan which will guide any new initiatives

Data from a variety of statewide governmental agencies. All variables were measured at the zip code-level. The Death Statistical Master Files for the years 2009-2010 were obtained from the California Department of Public Health (CDPH). Emergency department visits and hospital admissions were gathered from the Office of Statewide Health Planning and Development (OSHPD), 2009-2011. All data files provided information on place of residence (zip code), age, sex, and other non-identifiable demographics. All rates and population estimates were based on 2010 Census files. The majority of indicators were acquired from the American Community Survey (2010) including population estimates of age groups, race/ethnicity, individuals living below 125% of the Federal Poverty Line (FPL),

education, home ownership and employment.

Estimating the Cost of Preventable Childhood Morbidity

Analysis of expenditures was conducted for both preventable emergency department visits and hospital admissions for the three years (2009-2011). The average cost of an event was stipulated to be \$600.00 per emergency department visit and \$6,583 for that of hospital based on estimates of average payment for these services in other California studies. The weighted average was adjusted for the relative racial/ethnic population differences between communities. The additional costs of pediatric care associated with racial/ethnic and neighborhood poverty differences are expressed as the potential cost savings if children of color, children living in poor communities, or children of color in poor communities had similar utilization rates to whites and those living in less impoverished communities.

Rates of Childhood Morbidity and Mortality in the SJV

Children under age 15 in the SJV are more likely to be hospitalized for preventable illnesses than children from other regions in California (54.3 vs. 43.4 per 10,000). Table 2 presents childhood morbidity and mortality stratified by race/ethnicity in the SJV. In general, preventable ED rates are higher than non-preventable and the opposite is true for that of hospital admissions. Regardless of the type of event listed in Table 2, African-Americans are either the highest or the second highest subgroup at risk. Rates of infant mortality are highest among African-Americans (13.3/1,000 live births) and "Others" (14.9/1,000 live births). These two subgroups are at more than double the risk of infant mortality than the next leading race (white at 5.3/1,000 live births).

Across event categories, Hispanic rates tend to be similar or lower than those of whites. For non-preventable hospital admissions, however, there is a 50% increase in the white (273/10,000) rate compared to that of Hispanics (183/10,000).

Table 2. Rates of Morbidity and Mortality in the SJV by Race/Ethnicity, 2009-2011

Indicator	White	Hispanic	African-American	Asian	Other
Emergency Department^a					
Preventable	68	69	103	26	25
Non-Preventable	46	38	60	18	15
Hospital Admission^b					
Preventable	99	69	116	85	23
Non-Preventable	273	181	222	199	61
Infant Mortality ^c	532	530	1,347	358	1,439
Childhood Mortality ^d	18	14	24	16	5

a = Emergency department rates are calculated per 1,000 in the population. N is the frequency of events in 2009-2011.

b = Hospital admission rates are calculated per 10,000 in the population. N is the frequency of events in 2009-2011.

c = Infant mortality includes all deaths (N) occurring under one year of age in 2009 and 2010. Rates were calculated per 100,000 live births.

d = Childhood mortality includes all deaths (N) occurring between 1 - 14 years of age in 2009 and 2010. Rates were calculated per 100,000 in the population.

Costs of Childhood Morbidity in the SJV

ED and hospital model estimates were developed to evaluate the impact of race and poverty on preventable pediatric illness. Table 3 highlights the reduction in cost that would occur if all children in the SJV had preventable ED visitation rates equal to those of children in low poverty communities, white children and white children living in communities with low poverty. If all children had rates similar to those from low poverty communities, there would be a decrease in total expenditures of \$9.2 million per year, or a reduction of 36.4%. If all children had rates similar to those of white children, there would a savings of \$13.8 million, or a 54.3% reduction in costs. If all children experienced rates enjoyed by white children living in communities with low poverty, a substantial \$19.2 million would be saved, a total reduction of 75.8% in ED costs.

Table 3. Emergency Department Cost Projections for Preventable Diagnoses, 2009-2011

Adjustment	Event Ratio	% Reduction in Cost	Estimated Savings Per Year
Low Poverty	1.57	36.4	\$9,241,936
White	2.19	54.3	\$13,807,730
Low Poverty and White	4.13	75.8	\$19,269,649

Similar findings are evident when considering preventable pediatric hospitalizations. Table 4 highlights the reduction in cost that would occur if all children in the SJV had preventable hospitalization rates equal to those of children in communities of low poverty, white children and white children living in low poverty communities. If all children experienced rates of hospitalization similar to those from white children living in low poverty communities, a substantial \$19.1 million would be saved, a total reduction of 62.3% in direct hospitalization costs.

Table 4. Hospital Admission Cost Adjustment for Preventable Diagnoses, 2009-2011

Adjustment	Event Ratio	% Reduction in Cost	Estimated Savings Per Year
Low Poverty	1.40	28.8	\$8,838,453
White	1.72	42.0	\$12,889,520
Low Poverty and White	2.65	62.3	\$19,113,621

Discussion and Recommendations

As defined by the World Health Organization, social determinants of health are the “conditions in which people are born, grow, live, work and age.” These conditions are shaped by the unequal distribution of resources, primarily economic, political and social capital. In the SJV, social determinants of health are limiting the health and economic future of children and perpetuating the struggle of working poor families. Findings indicate that children that are non-white and underserved are likely experiencing less access to preventable care, more stressful and harmful neighborhood environments and have fewer resources to address conditions that develop earlier in their lives. The ramifications of these disparities extend beyond the individual child and family unit. Racial and economic differences account for a substantial portion of elevated costs for these populations. It should be a public health priority to participate in efforts to eliminate poverty and focus research on family health status and health care access.

Potential Initiatives to Improve Childhood Health Outcomes

County Public Health Departments play a key role in encouraging and providing leadership towards improving Maternal and Child Health equity, particularly in diverse contexts. In particular, there are three specific opportunities that Public Health Departments can champion at the county level:

Promote high quality and culturally responsive perinatal clinical care in patient-centered systems, informed by scientific consensus and national best practice evidence.

In the SJV, several counties are engaging in this effort by identifying and fostering opportunities to train and retain physicians and providers in other medical specialties (Nurse Practitioners, Registered Nurses, etc.) that are multi-lingual and culturally sensitive. Public Health Departments are also engaging practitioners to discuss developing new partnerships that will increase access to quality, coordinated and evidence-based care.

Provide individually oriented education, health promotion, screening and interventions for women and men of reproductive age to reduce risk factors that might impact early childhood outcomes.

The “promotora” or community health worker (CHW) model has received significant attention recently as an opportunity to provide social, economic and health support for women. CHWs visit women in home settings to promote preventive measures including breastfeeding, nutrition, homemaker assistance, healthcare system navigation, etc. Ideally, CHWs are members of the communities in which they serve, providing both context and a role model for women in need of support. Developing and funding these programs is a high priority goal for several SJV counties.

Investigate and increase the responsiveness of policies and programs to social, economic and environmental factors that impact childhood outcomes.

This multi-level, interdisciplinary goal requires new collaborations and unique partnerships. Some counties in the SJV are coordinating across sectors to consider the built environment and adopt health-friendly policies and improve the physical infrastructure for healthy living. Those invited to engage and frame new policies include government agencies, businesses, employers, developers, and families.

Health Equity for All



SAN JOAQUIN VALLEY
PUBLIC HEALTH CONSORTIUM

FRESNO
STATE

Central Valley Health
Policy Institute